

GUCB R

GENERATOR

LIGHT TOWER



www.gucbirgenerator.com

GSR750

SERIES LIGHT TOWERS

ENGINE	Product Code	GJL12MT-L	GJY12MT-L	GJY12MT-L	GJP12MT-L	GJYN25MT-L
	Brand	LISTER PETTER	YANG DONG	YANG DONG	PERKINS	YANMAR
	Model	LP311EG1	YD380D	YD385D	403A-11G1	3TNV88-GGE
	Fuel, Cooling, Speed	DIESEL, WATER COOLED, 1500rpm				
ALTERNATOR	Alternator Type	M12	M12	M12	M12	M25
	Standby Power	12	12	12	12	25
LIGHTING TOWER	Lamp Type	LED	LED	LED	LED	LED
	Lamp Power	4x200	4x200	4x200	4x200	4x200
	Lamp Quantity	4	4	4	4	4
	Mass Height	7.5m	7.5m	7.5m	7.5m	7.5m
	Mass Lifting System	Mechanic/Electronic	Mechanic/Electronic	Mechanic/Electronic	Mechanic/Electronic	Mechanic/Electronic
DIMENSIONS	Width (A-A1)	1700/2800	1700/2800	1700/2800	1700/2800	1700/2800
	Length (B-B1)	1720/2620	1720/2620	1720/2620	1720/2620	1720/2620
	Height (C-C1)	2340/7500	2340/7500	2340/7500	2340/7500	2340/7500
	Weight (kg)	-	-	-	-	-
	Fuel Tank Capacity	70	70	70	70	70

GSR1000

SERIES LIGHT TOWERS

ENGINE	Product Code	GJP15MT-L	GJP25MT-L	GJR25MT-L
	Brand	PERKINS	PERKINS	RICARDO
	Model	403D-15G1	404A-22G1	R490B (QC490D)
	Fuel, Cooling, Speed	DIESEL, WATER COOLED, 1500rpm		
ALTERNATOR	Alternator Type	M15	M22	M25
	Standby Power	15	22	25
LIGHTING TOWER	Lamp Type	LED	LED	LED
	Lamp Power	4x200	4x200	4x200
	Lamp Quantity	4	4	4
	Mass Height	7.5m	7.5m	7.5m
	Mass Lifting System	Mechanic/Electronic	Mechanic/Electronic	Mechanic/Electronic
DIMENSIONS	Width (A-A1)	1700/2800	1700/2800	1700/2800
	Length (B-B1)	1920/2820	1920/2820	1920/2820
	Height (C-C1)	2340/7500	2340/7500	2340/7500
	Weight (kg)	-	-	-
	Fuel Tank Capacity	90	90	90

GSR1500 SERIES LIGHT TOWERS

	Product Code	GJP33MT-L	GJP50MT-L	GJY33MT-L	GJY40MT-L	GJY44MT-L
ENGINE	Brand	PERKINS	PERKINS	YANG DONG	YANG DONG	YANG DONG
	Model	1103A-33G	1103A-33TG1	Y4100D	Y4102D	Y4105D
	Fuel, Cooling, Speed	DIESEL, WATER COOLED, 1500rpm				
ALTERNATOR	Alternator Type	M33	M50	M33	M40	M44
	Standby Power	33	50	33	40	44
LIGHTING TOWER	Lamp Type	LED	LED	LED	LED	LED
	Lamp Power	4x200	4x200	4x200	4x200	4x200
	Lamp Quantity	4	4	4	4	4
	Mass Height	7.5m	7.5m	7.5m	7.5m	7.5m
	Mass Lifting System	Mechanic/Electronic	Mechanic/Electronic	Mechanic/Electronic	Mechanic/Electronic	Mechanic/Electronic
DIMENSIONS	Width (A-A1)	1700/2800	1700/2800	1700/2800	1700/2800	1700/2800
	Length (B-B1)	2180/3000	2180/3000	2180/3000	2180/3000	2180/3000
	Height (C-C1)	2340/7500	2340/7500	2340/7500	2340/7500	2340/7500
	Weight (kg)	-	-	-	-	-
	Fuel Tank Capacity	115	115	115	115	115

GSR1500 SERIES LIGHT TOWERS

	Product Code	GJL25MT-L	GJL33MT-L	GJL40MT-L	GJL44MT-L
ENGINE	Brand	LISTER PETTER	LISTER PETTER	LISTER PETTER	LISTER PETTER
	Model	SA427G1	SA430G1	SA432G1	SA432G2
	Fuel, Cooling, Speed	DIESEL, WATER COOLED, 1500rpm			
ALTERNATOR	Alternator Type	M25	M33	M40	M44
	Standby Power	25	33	40	44
LIGHTING TOWER	Lamp Type	LED	LED	LED	LED
	Lamp Power	4x200	4x200	4x200	4x200
	Lamp Quantity	4	4	4	4
	Mass Height	7.5m	7.5m	7.5m	7.5m
	Mass Lifting System	Mechanic/Electronic	Mechanic/Electronic	Mechanic/Electronic	Mechanic/Electronic
DIMENSIONS	Width (A-A1)	1700/2800	1700/2800	1700/2800	1700/2800
	Length (B-B1)	2180/3000	2180/3000	2180/3000	2180/3000
	Height (C-C1)	2340/7500	2340/7500	2340/7500	2340/7500
	Weight (kg)	-	-	-	-
	Fuel Tank Capacity	115	115	115	115

STANDARD EQUIPMENT


- ◆ 2500 hours salt spray tested galvanized sheet metal cabinet
- ◆ Resistance to wind speeds of 60-70 km
- ◆ 4 or 6x200 watt Led lamps
- ◆ 7.5 m Mechanical pole
- ◆ Mechanical stabilizer
- ◆ Single axle trailer
- ◆ Removable drawbar.
- ◆ Single-phase and three-phase energy sockets on the cabin
- ◆ Suitable for outdoor use.

SPECIFICATIONS


- ◆ Designed for long term working conditions.
- ◆ 1500 rpm, water cooled
- ◆ Led lamp is used as standard
- ◆ Optionally halide lamps are used.
- ◆ The structure of the tower poles is produced as galvanized.
- ◆ It is produced as 7.5m as standard.
- ◆ It provides ease of transportation thanks to its trailer structure.
- ◆ The product structure is designed to be loaded on top of each other and provides transportation advantage.
- ◆ It has low noise level
- ◆ Single-phase and three-phase energy is possible on the light

OPTIONAL EQUIPMENT

360° Light Guidance System




Lamp or Led Lighting




OPTIONAL EQUIPMENT


Double or Single Axle Options



Special Color Options



Hydraulic or Mechanical Mast



GUCBİR

GENERATOR



GUCBİR JENERATOR SAN. ve TIC. A.Ş
Serifali Mahallesi, Tavukcuyolu Cad. No:200 - Umraniye / ISTANBUL

www.gucbirjenerator.com

+90 216 312 7979

info@gucbirjenerator.com

GUCBİR
GENERATOR